

Mechanisms of Development 48 (1994) 273-274



Volume contents

Volume 48 (1994)

Issue contents	1	M. Meise, W. Janning Localization of thoracic imaginal-disc precursor cells	100
J.B.L. Bard, J.E. McConnell, J.A. Davies		in the early embryo of Drosophila melanogaster	109
Towards a genetic basis for kidney development	3	T. Gutjahr, C.E. Vanario-Alonso, L. Pick, M. Noll	
M. Tio, C. Ma, K. Moses spitz, a Drosophila homolog of transforming growth factor-α, is required in the founding photoreceptor cells of the compound eye facets	12	Multiple regulatory elements direct the complex ex- pression pattern of the <i>Drosophila</i> segmentation gene paired	119
cens of the compound eye facets	13	M. Heikinbeimo, A. Lawshé, G.M. Shackleford,	
M. Freeman		D.B. Wilson, C.A. MacArthur	
The spitz gene is required for photoreceptor deter-		Fgf-8 expression in the post-gastrulation mouse sug-	
mination in the Drosophila eye where it interacts with the EGF receptor	25	gests roles in the development of the face, limbs and central nervous system	129
U. Heberlein, A. Penton, S. Falsafi, D. Hackett, G.M. Rubin		Issue contents	139
The C-terminus of the homeodomain is required for		J. Song, J.M.W. Slack	
functional specificity of the Drosophila rough gene	35	Spatial and temporal expression of basic fibroblast growth factor (FGF-2) mRNA and protein in early	
M. Park, S.A. Monsma, M.F. Wolfner		Xenopus development	141
Two tightly-linked Drosophila male accessory gland		7	
transcripts with the same developmental expression		J.C. Ruiz, F.L. Conlon, E.J. Robertson	
derive from independent transcription units	51	Identification of novel protein kinases expressed in the myocardium of the developing mouse heart	153
J. Casanova, M. Llimargas, S. Greenwood, G. Struhl An oncogenic form of human raf can specify terminal			
body pattern in <i>Drosophila</i>	59	L. Ho, K. Symes, C. Yordán, L.J. Gudas, M. Mercola Localization of PDGF A and PDGFRα mRNA in Xenopus embryos suggests signalling from neural	
Torre contrate		ectoderm and pharyngeal endoderm to neural crest	
Issue contents	65	cells	165
S. Taraviras, A.P. Monaghan, G. Schütz, G. Kelsey		A. Brunner, T. Twardzik, S. Schneuwly	
Characterization of the mouse HNF-4 gene and its		The Drosophila giant lens gene plays a dual role in	
expression during mouse embryogenesis	67	eye and optic lobe development: Inhibition of dif-	
IO Int ST Com		ferentiation of ommatidial cells and interference in	
J.O. Lewis, S.T. Crews Genetic analysis of the <i>Drosophila single-minded</i> gene		photoreceptor axon guidance	175
reveals a central nervous system influence on muscle		V H I in I Ma I V Wa W I as D Vanda E	
development	81	YH. Liu, L. Ma, LY. Wu, W. Luo, R. Kundu, F. Sangiorgi, M.L. Snead, R. Maxson	
J.A. Helms, S. Kuratani, G.D. Maxwell		Regulation of the Msx2 homeobox gene during mouse embryogenesis: A transgene with 439 bp of	
Cloning and analysis of a new developmentally regu-		5' flanking sequence is expressed exclusively in the	
lated member of the basic helix-loop-helix family	93	apical ectodermal ridge of the developing limb	187

G.W. Robinson, K.A. Mahon G.-Q. Zhao, H. Eberspaecher, M.F. Seldin, B. de Crom-Differential and overlapping expression domains of brugghe The gene for the homeodomain-containing protein Dlx-2 and Dlx-3 suggest distinct roles for Distal-less homeobox genes in craniofacial development 199 Cart-1 is expressed in cells that have a chondrogenic potential during embryonic development 245 A. Bartholomä, K.-A. Nave NEX-1: a novel brain-specific helix-loop-helix B. Christen, M. Bienz protein with autoregulation and sustained expression Imaginal disc silencers from Ultrabithorax: evidence in mature cortical neurons 217 for Polycomb response elements 255 Y. Li, M.L. Allende, R. Finkelstein, E.S. Weinberg Author index 267 Expression of two zebrafish orthodenticle-related Subject index 269 genes in the embryonic brain 229 Volume contents 273

